OFFICE OF THE DISTRICT EDUCATIONAL OFFICER, HASSAN DISTRICT.

Notice.

Notice is hereby given to one K. H. Ramaiya, son of Himasiga of Kesavathur, Konanur Hobli Arkalgud Taluk and an Ex-boarder of the Adikarnataka Boarding Home, Hassan, during 1934-35, whose caution money of Rs. 2 in the Government Savings Bank account of the Home has been left unclaimed for a long time. If the same is not taken back within 3 months of this notification, the said amount will be finally credited to the Treasury under "26. Education Miscellaneous."

C. RAMANUJA IYENGAR,
District Educational Officer.

NOTIFICATION.

The Mysore Government Promissory Note No. D. 007136 of Mysore State Loan, the 6½ per cent loan of 1940 for Rs. 100 originally standing in the name of Rama Rao, son of Mallappa, Kannur, Magadi Taluk, by whom it was endorsed to his brother's son K. Narasimhiah, son of Ranganna, Bhadriahnapalya, Dammanakatte Dakale, Magadi Taluk, having been lost, notice is hereby given that payment of the above note and interest thereon has been stopped by the Comptroller to the Government of His Highness the Maharaja of Mysore, and that application is about to be made for the issue of a duplicate in favour of K. Narasimhiah, son of Ranganna, Bhadriahnapalya, Dammanakatte Dakale, Magadi Taluk. The public are cautioned against purchasing or otherwise dealing with the above mentioned security.

K. NARASIMHA IYENGAR,
Amildar, Magadi Taluk.

NOTIFICATION.

The Mysore Government Promissory Note Nos. 010596 and 010597 of the 6½ per cent Loan of 1940 for Rs. 100 each originally standing in the name of Rangasetty, son of Ramasetty, Land-holder, Kanakanahally, Heggaddevankote Taluk, Mysore District, having been destroyed, notice is hereby given that payment of the above notes and the interest thereupon has been stopped by the Comptroller to the Government of His Highness the Maharaja of Mysore, and that application is about to be made for the issue of duplicates in favour of the proprietor. The public are cautioned against purchasing or otherwise dealing with the abovementioned securities.

ದಂಗೆಪ್ಪ,
Kanakanahalli, Heggaddevankote Taluk.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 25553-608, dated 23rd May 1938.

To

The Firms dealing in Insulating Materials.

Enquiry No. 2847.

INSULATING MATERIALS REQUIRED FOR THE MANUFACTURE OF TRANSFORMERS AT GOVERNMENT ELECTRIC FACTORY.

GENTLEMEN,

I write to request you to be so good as to quote your best prices and earliest time of delivery for the materials described in the undermentioned schedule.

Full details of the materials offered and samples of the same should be furnished without which the quotations will not be considered.

The trade names of the materials that we are using and which represent the manufacturers of particular firms are specified by us. You may quote for materials of your own make accompanied by samples.

The prices to be quoted should be for delivery c.i.f. Madras.

This enquiry will close on the 30th of June 1938.

Schedule.

		Quantity required.
1.	Peerless Leatheroid 16 *Mils. thick* to stand a voltage of 400-500 volts per mil. in continuous lengths of 100 lbs.	6,000 lbs.
2.	Peerless Leatheroid 4 *Mils. thick* to stand a voltage of 400-500 volts per mil. in continuous lengths of 100 *lbs.*	4,000 lbs.
3.	Peerless Leatheroid 1' 16" *thick* to stand a voltage of 400-500 *volts* per mil. in continuous lengths of 100 *lbs.*	6,000 lbs.
4.	Superfine Egyptian Cotton Tape in rolls of 72 yards or one gross yard, ¾" in width and about 3 *mils. thick*	4,000 gross yds.
5.	Superfine Egyptian Cotton Tape in rolls of 72 yards or one gross yard, 1" *in width* and about 3 *mils. thick*	3,000 gross yds.

	Schedule	Quantity required
6.	Treated Paper 3-4 *Mils. thick* capable of standing 2000-3000 *volts per mil.* This is required as layer insulation between layers of high tension winding. The compound with which the paper is treated must have no action on hot Transil Oil at 100°C or on Shellac Varnish with which the finished coils are going to be impregnated. (Generally got in rolls of 100 yards, width about 36"—48").	30,000 yards.
7.	Bakelite Sheets ¼" *thick* capable of standing 20,000-30,000 *volts*. The Bakelite must have no action on hot Transil Oil at 100° C or on Shellac Varnish with which it will come in contact. Each sheet to weigh about 17-18 lbs. and dimensions would be 48"×36" or nearest dimensions	200 sheets.
8.	Bakelite Tubes 6 *mms. thick* to stand high voltages of the order of 30,000 *and* 40,000 *volts* ranging in diameter from 10 *cms. to* 25 *cms.* for lengths ranging from 5" *to* 25". The quotation may be sent as so many shillings for foot for diameters over the range specified or by weight.	About 500 tubes.
9.	Cambric Sleevings treated with a compound which has no action on Transil Oil at 100° C or on Shellac Varnish with which it will come in contact.— *Diameter 3 mms.*	100 gross yds.
10.	Cambric Sleevings Do do *Diameter 5 mms.*	100 gross yds.
11.	Cambric Sleevings Do do *Diameter 6 mms.*	20 gross yds.
12.	Cambric Sleevings Do do *Diameter 7·5 mms.*	20 gross yds.
13.	Cambric Sleevings Do do *Diameter 1·5 mms.*	50 gross yds.
14.	White Cambric Cloth. The cloth must have no starch and be neutral to Litmus. (meant for Electrical purposes)	2,500 yards
15.	Black Cambric Cloth treated with a compound. 3.5 *mms. thick* in rolls of 100 yards	2,000 yards
16.	Treated Twine. 3 *mms. thick* in lb. rolls	100 lbs.

No. S. P. C. 25844-58, *dated 27th May* 1938.

To

The Furniture Contractors.

Enquiry No. 2852.

ARTICLES OF FURNITURE REQUIRED FOR THE NEW VETERINARY DISPENSARY TO BE OPENED AT ANANDAPURAM.

GENTLEMEN,

Please intimate your best present day prices for articles of furniture noted below for delivery free at Anandapuram, Mysore State Railway.

Your quotation should be subject to the conditions of contract enclosed and should reach this Office on or before 8th June 1938.

Item No.	Description and specification of furniture required	Number required	Cost of free delivery at Anandapuram
1	Teakwood compounding table L 4′×B 2½′×H 3′	1	
2	Teakwood medicine rack with four shelves: L 5′×B 1¼′×H 4½′	1	
3	Teakwood book shelf: L 3½′×B 10″×H 3¼′	1	
4	Teakwood basin stand	1	
5	Teakwood towel stand	1	
6	Teakwood almirah, 6½′×3¼′×1½′ with four shelves having glass shutters. The top shelf only will have to be secured with another wooden shutter within the glass panel. Both the inside wooden shutters and outside glass shutters should be provided with locks and keys and also padlocks	1	
7	Teakwood medicine chest with partitions and tin-containers L 2′×B 1½′×H 1′. There should be eight partitions on one side and ten on the other side with a tray 10″×13″×3″ in the centre as per sample in the Office of the Superintendent, Civil Veterinary Department, Bangalore, or in any Government Veterinary Dispensary, which can be seen during office hours on any working day	1	
8	Teakwood sign board with letters complete "Veterinary Dispensary" also in Kannada characters "Pashu Vaidyashala" written on the board with pictures of a horse and cow on two sides; size 3′×1′×1″	1	

Conditions of contract for the supply of articles of furniture.

1. The articles will be required to be manufactured according to our specifications out of well seasoned Mysore Teakwood or Rosewood, as the case may be, free from all defects, such as, knots, bends, white and sap wood, etc. All the articles are required to be well polished and varnished.

2. The articles will be subject to inspection by an Officer to be deputed for the purpose both during manufacture and after completion and such of the articles as may be found defective during such inspection, either due to bad workmanship or due to use of bad materials, will be rejected and you will be required to replace them by sound ones according to specification.

3. The soundness of all the articles should be guaranteed for one year during which period the defects that may be noticed by the Department will have to be rectified by you at your cost.

4. You should be prepared to execute an agreement undertaking to abide by the conditions of our tender and also to deposit as security a sum not less than five per cent of the value of the order.

5. Withdrawal from the quotation after it is accepted or failure to make supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of three per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

No. S. P. C. 25878-90, dated 28th May 1938.

To

The Firms dealing in Meteorological Instruments.

Enquiry No. 2854.

METEOROLOGICAL INSTRUMENTS TO IRWIN CANAL FARM, MANDYA.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed " Quotations for Meteorological Instruments " with the above enquiry Number.

This enquiry will be closed on the 10th June 1938.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
			Mandya.	
1	Terrestrial Radiation thermometer	One.		
2	Solar radiation thermometer	One.		
3	Anemometer	One.		
4	Wind vane (I.M.D. pattern) Sico make	One.		
5	Soil thermometers for use at 3", 1" and 1' and 2' depths as per Fuess Catalogue Mess. 20 (No. 49)	One set.		
6	Piche evaporimeter	One.		
7	Maximum thermometer	One.		
8	Minimum thermometer	One.		
9	Ordinary dry and wet bulb thermometer	One.		
10	Open pan evaporimeter	One.		

No. S. P. C. 25995-26004, dated 24th May 1938.

To

The Firms dealing in Refrigerating Storage and Developing outfit for X-ray films.

Enquiry No. 2858.

REFRIGERATING STORAGE AND DEVELOPING OUTFIT FOR X-RAY FILMS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed overleaf.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at

your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Refrigerating Storage and Developing Cabinet for X-Ray films" with the above enquiry Number.

This enquiry will be closed on the 10th of June 1938.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
			Mysore.	
1.	Refrigerating storage and developing out-fit for X-ray Films overall dimensions of the cabinet 3'6"×2'7"×3' high. Cabinet to be constructed out of best seasoned teakwood with cement asbestos panelling on all sides and provided with a cover on hinges and insulated with best quality cork slabs, sealed with odourless asphalt to prevent moisture attacking the insulation	One		
2	The cooling tank to be made of mild steel, electrically welded and fitted with suitable cooling coil. 3 Nos. Standard Tanks for solution and 1 No. for washing. These should be suitable for all sizes up to and including 17"×14" films. The cabinet to be further provided with a water pre-cooling arrangement permitting the washing water to be drawn at 65°F. through a suitable tap. Suitable overflow arrangement should be provided for draining surplus water			

N.B.—Complete details of equipment offered should be furnished together with illustrations, etc., connected therewith.

No. S. P. C. 26158-87, dated 25th May 1938.

To

The Firms dealing in Pumping Sets.

Enquiry No. 2863.

DEEP WELL BOREHOLE PUMPING SETS FOR BOWRINGPET WATER SUPPLY.

GENTLEMEN,

Please be good enough to intimate your best price for delivery f.o.r., Bowringpet, and the earliest time of delivery for the materials described below:—

ONE—Self Oiling Deep Well Borehole power pump with suitable electric motor, running on 220 volts 3 phase 25 cycle A. C. system, for giving a discharge of 17 imperial gallons per minute against a total head of 120 ft. The motor should be mounted on the deep well-pump and fitted with sprochet wheels for driving the pump by coventry chain.

Depth of the borewell 100 (One hundred)ft. and diameter of bore six inches.

ONE—Electric motor driven pumping set having either a centrifugal pump of a plunger pump capable of lifting 20 imperial gallons per minute against a total head of 125 ft. Motor to run on the same A. C. system as above.

N.B.—(1) The names of the manufacturers should be clearly specified.

(2) Illustrative leaflets and the sketch of the pump and motor offered should be sent with the quotation.

(3) *Preference will be given to the quotations for pumping sets for delivery immediately from stock.*

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specification will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Deepwell Borehole Pumping Sets required for Bowringpet Water Supply" with the above enquiry Number.

This enquiry will be closed on the 6th June 1938.

No. S. P. C. 26238-52, dated 28th May 1938.

To

The Firms dealing in Miscellaneous Electrical Materials.

Enquiry No. 2865.

MISCELLANEOUS ELECTRICAL MATERIALS REQUIRED IN CONNECTION WITH DAVANGERE ELECTRIFICATION.

GENTLEMEN,

I write to request you to quote your best prices and earliest time of delivery for the following materials.

Item No.		*Quantity.*
4.	Terminals copper for 1/0 wire	100 Nos.
5.	Do No. 4 B & S wire	100 „
21.	Bakelite lamp-holders B-C, C.G. with shade carrier ring	50 „
22.	Bakelite lampholders ⅝" do	50 „
23.	Goliath Screw heavy-brass Ventilated holders	25 „
24.	All insultaed bakelite switches, 5 amps.	100 „
25.	Bakelite Ceiling Roses, 5 amps.	100 „
26.	Bow Cut-outs, 5 amps.	50 „
27.	Combined wall-plugs, with switches bakelite 5 amps.	25 „
44.	Green and White Opal shades 10"×5"	50 „
45.	Cast iron water-tight fittings of the best English or American make, complete with reflector, well glass, etc., size of reflector 10"	25 „

Detailed specifications for the materials should be furnished wherever necessary and the names of the manufacturers should be specified for every item. Pamphlets and sketches, if any, illustrating the materials offered should accompany the quotation.

The prices should be for delivery, f.o.r., Davangere.

This enquiry will close on the 13th June 1938.

No. S. P. C. 26304-023, dated 26th May 1938.

To

The Firms dealing in Motor Vehicles.

Enquiry No. 2866.

FIVE TON LORRY REQUIRED FOR ALLAPUR BRIDGE WORKS.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery, f.o.r., Chitaldrug, and the earliest time of delivery for the materials described below :—

1. Five Ton Petrol driven Lorry with body for conveying 40' Girders of 24"×7½" of 100 lbs. and also for conveying stones, etc., from quarries with collapsible sides 1½ feet high ... One

Alternately

" Do do do Working on Diesel Oil ... One.

N.B.—A dimentioned sketch of the chassis and body of the lorry offered and also illustrative leaflets of the engine should be furnished with the quotation.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specification will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Five-Ton Lorry required for Allapur Bridge Works" with the above enquiry Number.

This enquiry will be closed on the 6th June 1938.

Yours faithfully,
T. RANGASWAMI,
Secretary,
Stores Purchase Committee.